


MINOR LOCAL

CRITERIA FOR USE OF MINOR LOCAL STREET:

1. TOTAL LENGTH MUST BE LESS THAN 800 FT (MEASURED FROM CENTER OF INTERSECTION TO CENTER OF INTERSECTION), UNLESS OTHERWISE APPROVED BY THE CITY ENGINEER.
2. WITH THE EXCEPTION OF CUL-DE-SACS, MINOR LOCAL STREETS MUST CONNECT INTO TWO LARGER STREETS (MAJOR LOCALS OR COLLECTORS - NOT ARTERIALS).
3. SHALL NOT BE USED FOR STUB ROADS INTENDED FOR FUTURE DEVELOPMENT.
4. MUST BE APPROVED BY CITY ENGINEER WHO WILL DETERMINE THERE IS NO ADVERSE TRAFFIC IMPACT.



MAJOR LOCAL

NOTES FOR LOCAL STREETS:

1. WHEREVER POSSIBLE, SANITARY SEWER SHALL BE INSTALLED ON THE DOWNHILL SIDE OF THE STREET.
2. SUBGRADE SHALL BE A-1 GRANULAR MATERIAL PER SECTION 02225.
3. COMMERCIAL SIDEWALK TO BE FIVE FEET WIDE MINIMUM.
4. PARK STRIP REQUIRED ON RESIDENTIAL LOCAL ROADS.
5. MAXIMUM ROAD GRADE IS 8% WITHOUT CITY ENGINEER'S APPROVAL.
6. PARK STRIPS TO BE FILLED TO WITHIN ONE INCH OF T.B.C. AND TOP OF SIDEWALK.

STREET CROSS-SECTIONS AND UTILITY LOCATIONS

V:\ENGR\StdSpec\StdSpec 2019\Drawg Files\STREETS-1.dwg - STREETS-1 - 2/04/2019 02:01pm. rfunk


HORROCKS ENGINEERS

728 WEST 100 SOUTH #2
HEBER CITY, UTAH 84032
(435) 654-2226

DATE: FEBRUARY 2019

SCALE: N.T.S.

75 NORTH MAIN STREET
HEBER CITY, UTAH 84032
(435) 654-0757



HEBER CITY STANDARD DRAWING

STREETS-1